





juni 2014, alle prijzen inclusief BTW en in €. Bedragen "per stuk" tenzij "pair" wordt vermeld, typfouten en koerswijzigingen voorbehouden

All Mythos Series are Polished Extruded Aircraft grade Aluminum






Mythos Solo Surround Arrays




Multi-channel Performance in One Sleek Speaker

(Illustrations not to scale)	Model	Description	Driver Complement	Product Dimensions**	Suggested Retail*/Finish
	Mythos SSA50	On-Wall/Shelf Single Speaker Surround System	3 – 4-1/2" BDSS array w/ 1" Dome Tweeters 2 – 4-1/2" BDSS Full Range 4 – 3-1/4" Full Range Surround	5-3/8" H 46-1/4" W 4-1/4" D	1099 € Black
	Mythos XTR-SSA5	Ultra-slim On-Wall/Shelf Single Speaker Surround System	10 – 3-1/2" aluminum dome bass/mid drivers 3 - 1" Dome Tweeters	5-1/4" H 45" W 1-5/8" D	999 € Black
	Mythos SSA42	On-Wall/Shelf Single Speaker Surround System	3 – 3 1/2 BDSS Coincident array w/ 1" Dome Tweeters 2 – 3-1/4" BDSS Full Range 4 – 3-" Full Range Surround	4-1/4" H 40" W 4-1/4" D	799 € Black
	Mythos XTR-SSA3	Ultra-slim On-Wall/Shelf Single Speaker L/C/R bar	6 – 3-1/2" aluminum dome bass/mid drivers Surround	5-1/4" H 43" W 1-5/8" D	799 € Black



Mythos On-Wall, On-Shelf, and/or On-Stand Models

All On Wall Mythos models include WallMount brackets



	Mythos Ten	Left, Center or Right Wall-Mounted Speaker (Horizontal or Vertical)	1 – 1" Dome Tweeter 2 - 5-1/4" BDSS bass/mids 2 – 5x8" Bass Radiators	34-1/2" H 6-1/16" W 4-3/8" D	899 € Black
	Mythos XTR-60	Left, Center or Right Wall-Mount/Shelf Speaker (Horizontal or Vertical)	1 – 1" Dome Tweeter 4 – 3-1/2" dome bass/mid Drivers 4 - 3-1/2" dome Bass Radiators	32" H 6" W 1-1/2" D	899 € Black
	Mythos XTR-50	Left, Center or Right Wall-Mount/Shelf Speaker (Horizontal or Vertical)	1 – 1" Dome Tweeter 2 – 3-1/2" dome bass/mid Drivers 4 - 3-1/2" dome Bass Radiators	27" H 6" W 1-1/2" D	699 € Black
	Mythos XTR-40	Left, Center or Right Wall-Mount/Shelf Speaker (Horizontal or Vertical)	1 – 1" Dome Tweeter 2 – 3-1/2" dome bass/mid Drivers 2 - 3-1/2" dome Bass Radiators	23-1/4" H 6" W 1-1/2" D	499 € Black
	Mythos XTR-20BP	Left, Center or Right Wall-Mount/Shelf Bipolar Speaker (Horizontal or Vertical)	1 – 1" Dome Tweeter 2 – 3-1/2" dome bass/mid Drivers in Bipolar array	11-1/2" H 6" W 2-1/2" D	279 € Black 1/8

<i>(Illustrations not to scale)</i>	Model	Description	Driver Complement	Product Dimensions**	Suggested Retail*/Finish
	Mythos Six	Main Speaker Table stand and wall bracket included. Floor-stand available	1 – 1" Dome Tweeter 2 – 3-1/2" bass/mid Drivers 2 - 3-1/2" Bass Radiators	19-9/16" H (21-1/16" H w/base) 4-1/16" W 4" D Glass Base 6-1/2"W x 5-1/2"D	399 € Black
	Mythos Seven	Center Channel Speaker (Wall or Shelf mounting)	1 – 1" Dome Tweeter 2 – 3-1/2" bass/mid Drivers 2 - 3-1/2" Bass Radiators	4-1/16" H 19-9/16" W 4" D	399 € Black
	Mythos Gem XL	Compact main or surround Loudspeaker	1 – 1" Dome Tweeter 2 – 4-1/2" bass/mid Drivers	12-1/2" H 5-1/2" W 4-1/2" D	349 € Black



Bipolar SuperTower Loudspeakers

	BP-8080ST	Bipolar SuperTower with built-in 12" subwoofer & 455 Watt amp	3 – 5-1/4" BDSS midrange drivers 2 – 1" dome tweeters 1 – 12" subwoofer 2-12.5" sub radiators	48-1/4" H 7" W 16-5/16" D Feet add 5-1/8" width	Not yet available Piano Gloss Black
	BP-8020ST	Bipolar SuperTower with built-in 8" subwoofer & 150 Watt amp	3 – 3-1/2" midrange drivers 1 – 1" dome tweeter 1 – 8" subwoofer	35-7/8" H 5-5/8" W 11-5/8" D Feet add 5-1/8" width	Not yet available Piano Gloss Black



CS Series Center Channel Loudspeakers

	CS-8080HD	Center Channel Speaker with built-in 5"x10" sub & 300 W amp	2 - 5-1/4" BDSS midrange drivers 1 - 1" Dome tweeter 1 - 5"x10" subwoofer 2 - 5"x10" bass radiators	6-3/4" H 23-1/2" W 14" D	999 € Piano Gloss Black
	CS-8060HD	Center Channel Speaker with built-in 8" sub & 150 W amp	2 - 4-1/2" BDSS midrange drivers 1 - 1" Dome tweeter 1 - 8" subwoofer	5-3/4" H 21-1/8" W 12" D	Not yet available Piano Gloss Black






Bipolar Surround Channel Loudspeakers

	SR-8080BP	Bipolar Surround Speaker	2 – 4-1/2" bass/mid drivers 2 – 1" dome tweeters	15-5/8" H 9" W 6-1/16" D	349 € Piano Gloss Black
	SR-8040BP	Bipolar Surround Speaker	2 – 3-1/2" bass/mid drivers 2 – 1" dome tweeters	9-1/2" H 7-13/16" W 5-3/8" D	249 € Piano Gloss Black

High-Performance Outdoor Loudspeakers

	AW 6500	All Weather Indoor/Outdoor Speaker w/ Bracket	1 – 6-1/2" BDSS bass/mid 1 – 1" dome tweeter 1 – 5 1/2 x 10" Bass Radiator	14-7/16" H 8-7/8" W 9-1/4" D	249.00 € Black or White
	AW 5500	All Weather Indoor/Outdoor Speaker w/ Bracket	1 – 5-1/4" BDSS bass/mid 1 – 1" dome tweeter 1 – 5 x 8" Bass Radiator	12-11/16" H 7-3/4" W 8-1/8" D	199,00 € Black or White

Powered Subwoofers and Wireless Kit

<i>(Illustrations not to scale)</i>	Model	Description	Driver Complement	Product Dimensions**	Suggested Retail*/Finish
	SuperCube Reference	14" High Pressure Subwoofer with 1800 W Amp	1 - 14" Woofer 2 - 14" Bass Radiators	16-15/16" H 16-3/4" W 16-3/4" D	1995 € Piano Gloss Black
	SuperCube 8000	11" High-Pressure Subwoofer with 1500W Amp Wireless-ready	1 - 11" woofer 2 - 12" bass radiators	15-3/4" H 15-3/16" W 15-3/4" D	1595 € Piano Gloss Black
	SuperCube 4000	8" High-Pressure Subwoofer with 1200W Amp Wireless-ready	1 - 8" woofer 2 - 8" bass radiators	11-7/8" H 11" W 12" D	799 € Piano Gloss Black
NEW! 	SCW-100	Wireless conversion kit for SC 4000, SC 6000, and SC 8000 Subwoofers	Includes one each transmitter, receiver, power supply: supports up to four SCW-100 Rx receivers	Transmitter .95" H 5.04" W 2.92" D	159 € (complete system)
NEW! 	SCW-100Rx	Wireless Receiver only: for multi-sub installs using SCW-100 Wireless Kit	Receiver ONLY: One transmitter can support up to 4 receivers	Receiver .77" H 3.1" W 1.98" D	79 € (receiver only)

Innovatieve Waveguide Tweeter Technologie bij de DI (Disappearing)inbouwluidspekers

Het opstellen van een tweeter voor een andere luidspreker is vaak geen goede zaak. De kans is groot dat er diffractie en andere interferentie verschijnselen ontstaan die de weergave van een in andere opzichten goede midden/laag eenheid ruïneren. Eén voorbeeld van een slechte tweeter toepassing is deze monteren op een 'brug' over de luidspreker. In de grafiek ziet u het resultaat van een prototype middentoner zonder obstructies (doorlopende zwarte lijn) en dezelfde eenheid met een brug van 2,5 cm er overheen (rode stippellijn). Het negatieve effect van de brug op de eenheid is duidelijk te zien. Het is echter ook mogelijk de tweeter constructie op een slimme manier te gebruiken het gedrag van de middentoner zelfs te *verbeteren*. Sommige high-end mid-dentoners zoals die welke worden gebruikt in de Mythos ST Super hebben 'fase pluggen' of 'golfgeluiders' in het hart van de eenheid, zoals hiernaast aangegeven. Deze golfgeluiders sluiten korte golven (hoge frequenties) die van de ene kant van de conus komen en interfereren met dezelfde frequenties van de andere zijde van de conus kort en verbeteren zo de kwaliteit in het middengebied en speciaal de spreiding en het gedrag buiten de as. De tweeters van de DI serie zijn op een steun gemonteerd en niet op een brug; bovendien is de behuizing van de tweeter speciaal gevormd waardoor deze ook functioneert als een extreem effectieve golfgelieder met lage diffractie.

De innovatieve Definitive Waveguide Tweeter verbetert spreiding en het gedrag buiten de as.











DIMEX B.V.
T: +31(0)70-40 42 647
F: +31(0)70-32 06 079
E: info@dimex.nl
I: www.dimex.nl

Dimex










■ Reference Audio Equipment

UIW Ultimate In-Wall/In-Ceiling Loudspeakers












(Illustrations not to scale)	<i>Model</i>	<i>Description</i>	<i>Driver Complement</i>	<i>Product Dimensions**</i>	<i>Suggested Retail*</i>
	UIW 75	Rectangular In-Wall/In-Ceiling Speaker	2 - 6-1/2" cast bass/mid drivers 1 - 1" dome tweeter	Outer Flange: 7-1/2" W x 16-5/8" H Cut-Out: 6-1/2" W x 15-1/2" H Depth: 3-5/16"	399 €
	UIW 65	Rectangular In-Wall/In-Ceiling Speaker	1 - 6-1/2" cast bass/mid driver 1 - 1" dome tweeter	Outer Flange: 7-1/2" W x 10-13/16" H Cut-Out: 6-7/16" W x 9-13/16" H Depth: 3-5/16"	518 pair (shipped 2 to a box)
	UIW 55	Rectangular In-Wall/In-Ceiling Speaker	1 - 5-1/4" cast bass/mid driver 1 - 1" dome tweeter	Outer Flange: 6-11/16" W x 10-3/8" H Cut-Out: 5-1/2" W x 9-1/4" H H Depth: 3-5/16"	358 pair (shipped 2 to a box)
	UIW 94/A	Round Coaxial In-Wall/In-Ceiling Speaker	1 - 9" cast driver 1 - 1" pivoting tweeter	Outer Flange Diameter: 10-3/4" Cut-Out Diameter: 9-5/8" Depth: 3-7/8"	Not available
	UIW 83/A	Round Coaxial In-Wall/In-Ceiling Speaker	1 - 8" driver 1 - 1" tweeter	Outer Flange Diameter: 10" Cut-Out Diameter: 9" Depth: 3-7/8"	Not available
	UIW 64/A	Round Coaxial In-Wall/In-Ceiling Speaker	1 - 6-1/2" cast driver 1 - 1" pivoting tweeter	Outer Flange Diameter: 8-3/4" Cut-Out Diameter: 7-5/8" Depth: 3-7/8"	418 pair (shipped 2 to a box)
	UIW 63/A	Round Coaxial In-Wall/In-Ceiling Speaker	1 - 6-1/2" driver 1 - 1" dome tweeter	Outer Flange Diameter: 8-3/4" Cut-Out Diameter: 7-5/8" Depth: 3-3/4"	278 pair (shipped 2 to a box)
	UIW BP/A	Rectangular Bipolar In-Wall/In-Ceiling Surround Speaker	2 - 5-1/4" cast drivers 2 - 1" dome tweeters	Outer Flange: 7-1/8" W x 12-1/2" H Cut-Out: 6-1/8" W x 11-7/16" H Depth: 3-5/8"	299 € each

Reference Architectural Loudspeakers

Sealed-Enclosure Subwoofers and Speakers for Flush Mount Installation

(Illustrations not to scale)	<i>Model</i>	<i>Description</i>	<i>Driver Complement</i>	<i>Product Dimensions**</i>	<i>Suggested Retail*</i>
	IWSub Reference (requires SubAmp600)	13" In-Wall Subwoofer with Integral Sealed Enclosure	1 - 13" Woofer 1 - 13" Sub Radiator	Outer Flange: 15-1/2" W x 26-1/4" H Cut-Out: 14-3/8" W x 25-1/8" H Depth: 4" Fits standard 16" on-center stud-bay	1299 €
	IWSub 10/10 (requires SubAmp600)	10" In-Wall Subwoofer with Integral Sealed Enclosure	1 - 10" Woofer 1 - 10" Sub Radiator	Outer Flange: 15-1/2" W x 21" H Cut-Out: 14-3/8" W x 19-7/8" H Depth: 3-13/16" Fits standard 16" on-center stud-bay	949 €
	SubAmp 600	Amplifier For Use With IW Subwoofers 275 W x 1 or 230W x 2	Black Finish, Rack Mount Brackets Included	Including feet: 17-1/16" W x 3-11/16" H x 9-5/8" D	Not available
	UIW RLS II	Reference Line Source Speaker w/ Integral Sealed Box	1 - 1" Dome Tweeter 2 - 6- bass/mid drivers 2 - 6-1/2" Radiators	Outer Flange: 8-1/8" W x 29-3/4" H Cut-Out: 7" W x 28-1/2" H Depth: 3-13/16"	899 €
	UIW RLS III	Reference Line Source Speaker w/ Integral Sealed Box	1 - 1" Dome Tweeter 2 - 5-1/4" cast basket bass/mid drivers 2 - 5-1/4" Radiators	Outer Flange: 7" W x 25" H Cut-Out: 5-7/8" W x 23-3/4" H Depth: 3-13/16"	649 €
	UIW RCS II	Reference Ceiling Speaker w/ Integral Sealed Box	1 - 1" Dome Tweeter 2 - 5-1/4" cast basket bass/mid drivers 2 - 6-1/2" Radiators	Outer Flange: 15-1/2" x 15-1/2" H Cut-Out: 14-3/8" x 14-3/8" Depth: 5-7/8"	749 €
	UIW RCS III	Reference Ceiling Speaker w/ Integral Sealed Box	1 - 1" Dome Tweeter 2 - 4 1/2" cast basket bass/mid drivers 2 - 5-1/4" Radiators	Outer Flange: 11-1/2" x 11-1/2" H Cut-Out: 10-3/8" x 10-3/8" Depth: 5-7/8"	599 €
	UIW RSS II	Reference Surround Speaker w/ Integral Sealed Box	2 - 1" Dome Tweeter 2 - 4-1/2" cast bass/mid drivers 2 - 4-1/2" Radiators	Outer Flange: 12-3/4" x 11" Cut-Out: 11-5/8" x 9-7/8" Depth: 3-7/8"	649 €
	UIW RSS III	Reference Surround Speaker w/ Integral Sealed Box	2 - 1" Dome Tweeter 2 - 3 1/2" bass/mid drivers, 2 - 3-1/2" Radiators	Outer Flange: 9-7/16" x 11" Cut-Out: 8-5/16" x 9-7/8" Depth: 3-7/8"	499 €

Disappearing™ In-Wall (In-Wall/In-Ceiling) Loudspeakers

(Illustrations not to scale)	Model	Description	Driver Complement	Product Dimensions**	Suggested Retail*
	DI 8R	Round In-Wall/In-Ceiling Surround Speaker	8" BDSS bass/mid 2 - 1" pivoting dome tweeter	Grille Diameter: 9-3/4" Cut-Out Diameter: 8-3/4" Depth: 3-7/8"	329 €
	DI 6.5STR	Round STEREO In-Wall/In-Ceiling Speaker	6 1/2" BDSS bass/mid 2- 1" dome tweeters	Grille Diameter: 8-5/16" Cut-Out Diameter: 7-1/4" Depth: 3-5/8"	299 €
	DI 6.5S	Square In-Wall/In-Ceiling Speaker	6 1/2" BDSS bass/mid 1" pivoting dome tweeter	Grille: 8-5/16" x 8-5/16" Cut-Out: 7-1/4" x 7-1/4" Depth: 3-7/8"	279 €
	DI 6.5R	Round In-Wall/In-Ceiling Speaker	6 1/2" BDSS bass/mid 1" pivoting dome tweeter	Grille Diameter: 8-5/16" Cut-Out Diameter: 7-1/4" Depth: 3-5/8"	279 €
	DI 5.5S	Square In-Wall/In-Ceiling Speaker	5 1/2" BDSS bass/mid 1" pivoting dome tweeter	Grille: 7-3/8" x 7-3/8" Cut-Out: 6-5/16" x 6-5/16" Depth: 3-5/8"	249 €
	DI 5.5R	Round In-Wall/In-Ceiling Speaker	5 1/2" BDSS bass/mid 1" pivoting dome tweeter	Grille Diameter: 7-3/8" Cut-Out Diameter: 6-5/16" Depth: 3-5/8"	249 €
	DI 4.5R	Round In-Wall/In-Ceiling Speaker	4 1/2" BDSS bass/mid 1" pivoting dome tweeter	Grille Diameter: 5-3/8" Cut-Out Diameter: 4-1/2" Depth: 3-3/8"	219 €
	DI 3.5R	Round In-Wall/In-Ceiling Speaker	3 1/2" BDSS bass/mid 1" pivoting dome tweeter	Grille Diameter: 4-9/16" Cut-Out Diameter: 3-3/4" Depth: 3"	209 €
	DI 5.5BPS	Rectangular Bipolar In-Wall/In-Ceiling Surround Speaker	2- 5 1/4" BDSS bass/mids 2 - 1" pivoting dome tweeters	Grille: 7-3/4" W x 13-5/8" H Cut-Out: 6-13/16" W x 12- 5/8" H Depth: 3-7/8"	449 €
	DI 6.5LCR	Rectangular L/C/R In-Wall Speaker	2- 6 1/2" BDSS bass/mids 1- 1" pivoting dome tweeter	Grille: 8-5/16" W x 17-1/8" L Cut-Out: 6-13/16" W x 16- 3/16" L Depth: 3-7/8"	549 €
	DI 5.5LCR	Rectangular L/C/R In-Wall Speaker	2- 5 1/4" BDSS bass/mids 1- 1" pivoting dome tweeter	Grille: 7-3/8" W x 15-5/16" L Cut-Out: 6-7/16" W x 14- 3/8" L Depth: 3-7/8"	449 €

Standards / montagebeugels (per paar!)

ProMount 80-pair	Wit of zwart	Bevestigingsbeugel tbv 600/800 Series	50.00
ProStand 100/200/1000-pair	Zwart	Standaard tbv PM1000	120.00
ProStand 60/80/8000-pair	Zwart	Standaard tbv PM800	110.00
SixStands-pair*	Zilver (z. d. v. s.) of zwart	Standaard tbv Mythos Six	259.00
GemStands-pair*	Zilver (z. d. v. s.) of zwart	Standaard tbv Mythos Gem	259.00